

Learning Objectives 8.1 Create a basic table with the table, table row, table header, and table cell elements 8.2 Configure table sections with the thead, tbody, and tfoot elements 8.3 Increase the accessibility of a table 8.4 Style an HTML table with CSS

8.5 Describe the purpose of CSS structural pseudo-classes

Pearson

Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved

Bird Sightings

Upland Sandpiper 6/03/10

Date

5/25/10

HTML Table

Tables are used on web pages to organize tabular information Composed of rows and columns – similar to a spreadsheet.

Each individual table cell is at the intersection of a specific row and column.

Configured with table, tr, and td elements

Name	Birthday	Phone
Jack	5/13	857-555-5555
Sparky	11/28	303-555-5555

Pearson

Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved

HTML Table Elements

Contains the table

•

Contains the table row

>

Contains the table cell

<caption>


Configures a description of the table


Pearson


Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved

Name

Bobolink







HTML Table Attributes

- · align (obsolete)
- bgcolor (obsolete)
- border
- · cellpadding (obsolete)
- · cellspacing (obsolete)
- summary (obsolete but may be reinstated)
- · width (obsolete)

Use CSS to configure table characteristics instead of HTML attributes



Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved


HTML Common Table Cell Attributes

- · align (obsolete)
- bgcolor (obsolete)
- colspan
- rowspan
- · valign (obsolete)
- · height (deprecated)
- · width (deprecated)

Use CSS to configure most table cell characteristics instead of HTML attributes

Pearson

Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved



Accessibility and Tables


Use table header elements (tags) to indicate column or row headings.

Use the caption element to provide a text title or caption for the

- Complex tables: Associate table cell values with their corresponding headers
 - tag id attribute
 - tag headers attribute

Pearson

Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved



Checkpoint 8.1

- 1. Describe the purpose of using a table on a web page.
- 2. How is the text contained in a th element displayed by the browser?
- 3. Describe one coding technique that increases the accessibility of an HTML table.

Pearson

Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved

Using CSS to Style a Table HTML Attribute CSS Property Align Center align a table: table { width:

Center align a table: table { width: 75%; margin: auto; } Center align within a table cell: text-align: center; background-color Bgcolor Cellpadding Padding Cellspacing border-spacing or border-collapse Height Height Valign vertical-align Width Width border, border-style, or border-spacing Border background-image

Pearson Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved

CSS Structural Pseudo-Classes

Pseudo-class	Purpose	
:first-of-type	pe Applies to the first element of the specified type	
:first-child	Applies to the first child of an element (CSS2 selector)	
:last-of-type	Applies to the last element of the specified type	
:last-child	Applies to the last child of an element	
:nth-of-type(n)	Applies to the "nth" element of the specified type Values: a number, odd, or even	

Zebra Stripe a Table

tr:nth-of-type(even) { background-color: #eaeaea; }

Pearson

Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved

Table Row Groups (1 of 2)

<caption> Time Sheet</caption> <thead> id="day">Day id="hours">Hours

</thead>

Monday
4

Pearson

Copyright © 2019, 2017, 2015 Pearson Education, Inc. All Rights Reserved

