Multiple Choice. Choose the best answer.

1. How would you define a fragment identifier at the top of a page, called "top"?
a. <div id="top"></div>
b. <div bookmark="top"></div>
c. <div id="#top"></div>
d. <div href="top"></div>
2. How would you link to the named fragment #school on the page resume.html from
the home page of the site?
a. <a href="resume.html#school">Educational Background</a>
b. <a name="resume.html#school"> Educational Background </a>
c. <a link="resume.htmlschool"> Educational Background </a>
d. <a link="resume.html#school"> Educational Background </a>
3. The attribute of the anchor tag can cause the new web page to open i
its own browser window.
a. target
b. window
c. id
d. <b>href</b>

4. When do you need to use a fully qualified URL in a hyperlink?
a. when creating an internal link to the same web page
b. when linking to a page in another folder on the same site
c. when linking to a page on an external web site
d. never
5. What is the term used to describe image file that contains multiple small graphics?
a. thumbnail image
b. sprite
c. image link
d. viewport
6. The meta tag configures scale and dimension on mobile web page display.
a. viewport
b. description
c. sprite
d. media query
7. Use the property in the HTML link tag to to associate a web page with a style
sheet for printing.
a. media="'print"
b. out="printer"
c. media="paper"
d. media="screen"

8	will cause an object not to display.
	a. display: block;
	b. display: 0px;
	c. display: none;
	d. display: hide;
9. A	determines the capability of the mobile device, such as screen resolution,
and o	directs browsers to CSS.
	a. sprite
	b. viewport
	c. media query
	d. fragment identifier
10. S	Select a recommendation for mobile web design from the choices listed below.
	a. Use a single column page layout
	b. Use large images
	c. Use pt units for font sizes
	d. None of the above are best practices for mobile web design.
11. S	Select a recommendation for mobile web design from the choices listed below.
	a. Use a two-column page layout
	b. Use images that display text
	c. Use percentage or em units for font sizes
	d. Configure all hyperlinks to open in new browser windows

Web Development & Design Foundations with HTML5 & CSS3 Instructor Materials Chapter 7 Test Bank			
2. Include the keyword in a media query to cause older, non-supporting			
browsers to ignore the media query.			
a. viewport			
b. meta			
c. skip			
d. only			
13. Theattribute indica	tes if a style sheet configures for screen display or the		
printed page.			
a. media			
b. display			
c. internal			
d. viewport			
14. Which pseudo-element of	can be used to generate content that precedes an		
element?			
a. :after			
b. :before			
c. :content			
d. :first-line			
15. What is the purpose of the	content property?		
a. to generate content t	hat is added to the web page document		
b. to configure the text	size of the entire web page document		
c. to display a pop-up w	c. to display a pop-up window		
d. to configure mobile o	lisplay only		

16. Components of responsive web design include:

a. fluid layout, flexible images, media queries

b. valid syntax, embedded CSS, media queries

	c. fluid layout, valid syntax, embedded CSS				
	d. flexible images, media queries, valid syntax				
17. W	hich C	SS property configures a flex container?			
	a.	flex			
	b.	display			
	C.	flex-item			
	d.	justify-content			
18. W	hich CS	SS property configures multiple lines in a flex container?			
	a.	justify-content			
	b.	flex-direction			
	C.	flex-wrap			
	d.	flex			
True c	r False				
19	A be	enefit of using the CSS Sprites technique is to decrease the number of			
HTTP	reques	t calls to the web server.			
20	The	W3C's concept of "One Web" relates to providing a single resource that is			
config	ured for	optimal display on multiple types of devices.			
21	It is	s possible to use CSS to configure page breaks in a printed web page.			
Page	5				

Web Devel	opment &	Design I	Foundatio	ns with	HTML5 8	CSS3
Instructor N	Materials (	Chapter 7	Test Bar	nk		

22 A hyperlink with the phone: scheme may cause a web browser on a mobile
device to initiate a phone call.
23 Mobile web pages should contain exactly the same content as web pages
intended for display on desktop browsers.